EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	("6470227").URPN.	USPAT	OR	ON	2006/08/26 09:14
L3	0	l2 and (browser near9 control) and @ad<"20000201"	USPAT	OR	ON	2006/08/26 09:15
L4	0	l2 and (browser same control) and @ad<"20000201"	USPAT	OR	ON	2006/08/26 09:15
L5	0	l2 and (browser and control) and @ad<"20000201"	USPAT	OR	ON	2006/08/26 09:15
L6	0	l2 and (browser) and @ad<"20000201"	USPAT	OR	ON.	2006/08/26 09:15
L14	3	(manipulat$5 same browser) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 10:21
L15	0	((motion near9 (manipulat$5 control$3 manag$5 simulat$5)) same browser) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 10:22
L16	2	((motion near9 (manipulat$5 control$3 manag$5 simulat$5)) and browser) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 13:03
L17	3	((motion near9 (manipulat$5 control$3 manag$5 simulat$5)) and browser) and ((hsms secs) near9 (messag$5 protocol format)) not l16 and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 10:24
L18	24	((((motion robot$3 device machine tool probe instrument) near9 (manipulat$5 control$3 manag$5 simulat$5)) and browser) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 10:27
L19	2	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same browser) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument) near9 (manipulat$5 control$3 manag$5 simulat$5))	US-PGPUB; USPAT	OR	ON	2006/08/26 10:29

L20	11	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument) near9 (manipulat$5 control$3 manag$5 simulat$5))	US-PGPUB; USPAT	OR	ON	2006/08/26 10:32
L23	99	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion movement pan$5) near9 (manipulat$5 control$3 manag$5 simulat$5)) and ("700" "703").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 10:36
L24	22	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion movement pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action) near9 (manipulat$5 control$3 manag$5 simulat$5 manoeuvr$5 maneuver$5)) and ("700" "703"). clas. not I23	US-PGPUB; USPAT	OR	ON	2006/08/26 10:42
L26	148	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion movement pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action) near9 (manipulat$5 control$3 manag$5 simulat$5 manoeuvr$5 maneuver$5)).ab. not (I23 24)	US-PGPUB; USPAT	OR	ON	2006/08/26 10:43

L28	182	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument) near9 (manipulat$5 control$3 manag$5 simulat$5)) and feedback and cach$5	US-PGPUB; USPAT	OR	ON	2006/08/26 11:07
L29	11	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action) near9 (manipulat$5 control$3 manag$5 simulat$5)) and feedback and cach$5 and ("700" "703").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 10:54
L30	11	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5)) and feedback and cach$5 and ("700" "703").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 10:54
L31	23	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5)) and cach$5 and ("700" "703").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 10:55

L32	12	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5)) and cach$5 and ("700" "703").clas. not I30	US-PGPUB; USPAT	OR	ON	2006/08/26 11:00
L33	1	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and @ad<"20000201" and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and cach$5 and ("700" "703").clas. not (I30 I32)	US-PGPUB; USPAT	OR	ON	2006/08/26 11:00
L34	38	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and cach$5 and ("700" "703"). clas. not (I30 I32) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 11:07

EAST Search History

L35	87	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback and ("700" "703"). clas. not (l30 l32) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 11:07
L36	70	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback and ("700" "703"). clas. not (l30 l32 l34) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 11:09
L37	40	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback and ("700" "703"). clas. not (l30 l32 l34) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 11:20

EAST Search History

L38	0	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback and ("700" "703"). clas. not (130 132 134 137) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 11:22
L39	0	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch kinematic) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback and ("700" "703").clas. not (130 132 134 137) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 11:22
L41	0	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch kinematic) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback not (130 132 134 137) and @ad<"20000201" and ("700" "703").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 11:24

L42		8	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch kinematic) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback not (l30 l32 l34 l37) and @ad<"20000201" and ("717"). clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 11:50
L43		5	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse java)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch kinematic) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback not (l30 l32 l34 l37 l42) and @ad<"20000201" and ("717").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 11:51
L44		1	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse java)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch kinematic) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback not (l30 l32 l34 l37 l42 l43) and @ad<"20000201" and ("700" "703").clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 11:52

L45	77	(((automat$5 remote virtual) near9 (manipulat$5 control$3 manag$5 simulat$5)) same (activex active-x browser gui mouse java)) and ((motion robot$3 device machine tool probe instrument pan$5 manoeuvr$5 maneuver$5 rotat$5 reclin$5 axis action traject$5 actuator timing displacement offset pitch kinematic) near9 (manipulat$5 control$3 manag$5 simulat$5 blend$5 comput$5)) and feedback not (I30 I32 I34 I37 I42 I43) and ("700" "703" "717").clas. and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 11:52
L46	1	((motion near9 (manipulat$5 control$3 manag$5 simulat$5)) and browser) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 13:03
L47	0	((motion near9 (manipulat$5 control$3 manag$5 simulat$5)) and browser) and ((hsms secs$3) near9 (messag$5 protocol format command data$5)) and @ad<"20000201" and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 13:04
L48	0	((motion near9 (manipulat$5 control$3 manag$5 simulat$5)) and browser) and ((hsms secs$3) near9 (messag$5 protocol format command data$5)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 13:04
L49	73	((hsms secs$3) near9 (messag$5 protocol format command data$5)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/08/26 13:05
L50	27	((hsms secs$3) near9 (messag$5 protocol format command data$5)) and "709".clas. and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 13:15
L51	2	((hsms secs$3) near9 (messag$5 protocol format command data$5)) and "703".clas. and provisional	US-PGPUB; USPAT	OR	ON	2006/08/26 13:15
L52	3	((hsms secs$3) near9 (messag$5 protocol format command data$5)) and "703".clas. and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 13:16

EAST Search History

S1	2	("6,470,227" "6,463,352").pn.	US-PGPUB; USPAT	OR	ON	2006/08/25 16:34
S2	56	((manufactur$5 tool$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201"	US-PGPUB; USPAT	OR	ON	2006/08/26 10:20
S3	0	((manufactur$5 tool$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and cach$5 and ((robot tool) adj server)	US-PGPUB; USPAT	OR	ON	2006/08/25 16:40
S4	15	((manufactur$5 tool$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and cach$5	US-PGPUB; USPAT	OR	ON	2006/08/25 16:50
S5	15	((manufactur$5 tool$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and cach$5 and ((gui interface api selection options page) near9 (user tool))	US-PGPUB; USPAT	OR	ON	2006/08/25 16:56
S6	0	((manufactur$5 tool$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs) near9 (messag$5 protocol format)) and @ad<"20000201" and cach$5 and ((gui interface api selection options page) near9 (user tool device machine robot)) not S5	US-PGPUB; USPAT	OR	ON	2006/08/25 16:56
S7	4	((manufactur$5 tool$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" and cach$5 and ((gui interface api selection options page instruction) near9 (user tool device machine robot)) not S5	US-PGPUB; USPAT	OR	ON	2006/08/25 16:58

S8	4	((manufactur$5 tool$5 fabricat$5 robot$5) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" and cach$5 and ((gui interface api selection options page instruction) near9 (user tool device machine robot)) not S5	US-PGPUB; USPAT	OR	ON	2006/08/25 17:02
S9	5	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" and cach$5 and ((gui interface api selection options page instruction) near9 (user tool device machine robot)) not S5	US-PGPUB; USPAT	OR	ON	2006/08/25 17:03
S10	21	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" and ((gui interface api selection options page instruction) near9 (user tool device machine robot)) not (S5 S9)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:14
S11	0	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and ((web html) near9 page)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:16

S12	0	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and ((web html http) near9 page)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:16
S13	0	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller) near9 page)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:39
S14	119	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3 dcom dicom) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller) near9 page)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:19
S15	125	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller equipment instrument apparatus) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3 dcom dicom) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller) near9 page)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:21

S16	0	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller equipment instrument apparatus) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller) near9 page)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:21
S17	9	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) not (S5 S9 S10) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller) near9 page) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/25 17:28
S18	9	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller equipment) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) not (S5 S9 S10) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller equipment) near9 page) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/25 17:33
S19	0	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller equipment) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) not (S5 S9 S10 S18) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller equipment) near9 (browser page)) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/25 17:33

S20		7	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller equipment) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) not (S5 S9 S10 S18) and ((web html http tool$5 obot$5 machine$3 circuit$5 modbus fieldbus controller equipment) near9 (browser page gui)) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/25 17:34
S21		0	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) and @ad<"20000201" not (S5 S9 S10) and (browser)	US-PGPUB; USPAT	OR	ON	2006/08/25 17:40
S22		13	((manufactur$5 tool$5 fabricat$5 robot$5 machine$3 circuit$5 modbus fieldbus controller) near9 (remote$5 network internet$5 web$5)) and ((hsms secs$3) near9 (messag$5 protocol format request command)) not (S5 S9 S10) and (browser) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/25 17:41
S23		9	("20010044667" | "20020002560" | "20020026514" | "5886896" | "6263255" | "6303395" | "6393333" | "6456894" | "6532427").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/25 17:44
S24		4	S23 and browser	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/25 17:44